

Product datasheet for TA321144

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Adenylate Kinase 1 (AK1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: Human fetal muscle tissue

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 1-194 amino acids of Human

Adenylate kinase isoenzyme 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 22 kDa

Gene Name: adenylate kinase 1

Database Link: NP 000467

Entrez Gene 11636 MouseEntrez Gene 24183 RatEntrez Gene 203 Human

P00568





Background:


Adenylate kinase is an enzyme involved in regulating the adenine nucleotide composition within a cell by catalyzing the reversible transfer of phosphate group among adinine nucleotides. Three isozymes of adenylate kinase have been identified in vertebrates; adenylate isozyme 1 (AK1); 2 (AK2) and 3 (AK3). AK1 is found in the cytosol of skeletal muscle; brain and erythrocytes; whereas AK2 and AK3 are found in the mitochondria of other tissues including liver and heart. AK1 was identified because of its association with a rare genetic disorder causing nonspherocytic hemolytic anemia where a mutation in the AK1 gene was found to reduce the catalytic activity of the enzyme.

Synonyms: HTL-S-58j

Protein Families: Druggable Genome

Protein Pathways: Metabolic pathways, Purine metabolism

Product images:



Gel: 10%SDS-PAGE Lysate: 40 μg

Lane: Human fetal muscle tissue

Primary antibody: TA321144 (AK1 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 10 seconds