

Product datasheet for TA321278S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

ADFP (PLIN2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human liver cancer and mouse brain tissue

IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 423-437 amino acids of human

perilipin 2

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 48 kDa

Gene Name: perilipin 2

Database Link: NP 001113

Entrez Gene 11520 MouseEntrez Gene 101055843 MouseEntrez Gene 123 Human

Q99541






Background:

The protein encoded by this gene belongs to the perilipin family; members of which coat intracellular lipid storage droplets. This protein is associated with the lipid globule surface membrane material; and maybe involved in development and maintenance of adipose tissue. However; it is not restricted to adipocytes as previously thought; but is found in a wide range of cultured cell lines; including fibroblasts; endothelial and epithelial cells; and tissues; such as lactating mammary gland; adrenal cortex; Sertoli and Leydig cells; and hepatocytes in alcoholic liver cirrhosis; suggesting that it may serve as a marker of lipid accumulation in diverse cell types and diseases. Alternatively spliced transcript variants have been found for this gene.

Synonyms: ADFP; ADRP

Protein Families: Druggable Genome

Product images:



Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-2: Human liver cancer tissue mouse brain tissue


Primary antibody: [TA321278] (PLIN2 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 40 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA321278] (PLIN2 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA321278] (PLIN2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA321278] (PLIN2 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA321278] (PLIN2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)