

Product datasheet for TA321290

Annexin VI (ANXA6) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-500

WB positive control: 293T cells

IHC: 25-100

Positive control: Human breast cancer

Predicted cell location: Cytoplasm, Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to C terminal 350 amino acids of human annexin A6

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 76 kDa

Gene Name: annexin A6

Database Link: NP 001146

Entrez Gene 11749 MouseEntrez Gene 79125 RatEntrez Gene 309 Human

P08133



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Annexin VI belongs to a family of calcium-dependent membrane and phospholipid binding proteins. Several members of the annexin family have been implicated in membrane-related events along exocytotic and endocytotic pathways. The annexin VI gene is approximately 60 kbp long and contains 26 exons. It encodes a protein of about 68 kDa that consists of eight 68-amino acid repeats separated by linking sequences of variable lengths. It is highly similar to human annexins I and II sequences; each of which contain four such repeats. Annexin VI has been implicated in mediating the endosome aggregation and vesicle fusion in secreting epithelia during exocytosis. Alternatively spliced transcript variants have been described.

Synonyms: ANX6; CBP68

Product images:




Gel: 8%SDS-PAGE Lysate: 30 µg Lane: 293T cells Primary antibody: TA321290 (ANXA6 Antibody) at

dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA321290 (ANXA6 Antibody) at dilution 1/17 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA321290 (ANXA6 Antibody) at dilution 1/17, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA321290 (ANXA6 Antibody) at dilution 1/17 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA321290 (ANXA6 Antibody) at dilution 1/17, treated with fusion protein. (Original magnification: ×200)