

Product datasheet for TA321304

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com
CN: techsupport@origene.cn

BNIP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Jurkat and A172 cells, human liver cancer tissue

IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 4-227 amino acids of human

BCL2/adenovirus E1B 19kDa interacting protein 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 26 kDa

Gene Name: BCL2/adenovirus E1B 19kDa interacting protein 1

Database Link: NP 001196

Entrez Gene 140932 RatEntrez Gene 224630 MouseEntrez Gene 662 Human

Q12981





Background: This gene is a member of the BCL2/adenovirus E1B 19 kd-interacting protein (BNIP) family. It


interacts with the E1B 19 kDa protein, which protects cells from virally-induced cell death. The encoded protein also interacts with E1B 19 kDa-like sequences of BCL2, another apoptotic protector. In addition, this protein is involved in vesicle transport into the endoplasmic reticulum. Alternative splicing of this gene results in four protein products with identical N-


and C-termini.?

Synonyms: NIP1; SEC20; TRG-8

Protein Families: Druggable Genome, Transmembrane **Protein Pathways:** SNARE interactions in vesicular transport

Product images:





human liver cancer tissue


Primary antibody: TA321304 (BNIP1 Antibody) at

dilution 1/275

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321304 (BNIP1 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321304 (BNIP1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA321304 (BNIP1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA321304 (BNIP1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)