

## **Product datasheet for TA321304S**

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## **BNIP1** Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Jurkat and A172 cells, human liver cancer tissue

IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 4-227 amino acids of human

BCL2/adenovirus E1B 19kDa interacting protein 1

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 26 kDa

**Gene Name:** BCL2/adenovirus E1B 19kDa interacting protein 1

Database Link: NP 001196

Entrez Gene 140932 RatEntrez Gene 224630 MouseEntrez Gene 662 Human

Q12981





**Background:** This gene is a member of the BCL2/adenovirus E1B 19 kd-interacting protein (BNIP) family. It


interacts with the E1B 19 kDa protein, which protects cells from virally-induced cell death. The encoded protein also interacts with E1B 19 kDa-like sequences of BCL2, another apoptotic protector. In addition, this protein is involved in vesicle transport into the endoplasmic reticulum. Alternative splicing of this gene results in four protein products with identical N-

and C-termini.?

Synonyms: NIP1; SEC20; TRG-8

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: SNARE interactions in vesicular transport

## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-3: Jurkat cells

A172 cells

human liver cancer tissue


Primary antibody: [TA321304] (BNIP1 Antibody) at

dilution 1/275

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA321304] (BNIP1 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA321304] (BNIP1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA321304] (BNIP1 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA321304] (BNIP1 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)