

Product datasheet for TA321318S

CDC20 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: SKOV3 and Hela cell lysates

IHC: 200-400

Positive control: Human colorectal cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 182-480 amino acids of Human Cell

division cycle protein 20 homolog

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 55 kDa

Gene Name: cell division cycle 20

Database Link: NP 001246

Entrez Gene 64515 RatEntrez Gene 107995 MouseEntrez Gene 991 Human

Q12834

Background: CDC20 appears to act as a regulatory protein interacting with several other proteins at

multiple points in the cell cycle. It is required for two microtubule-dependent processes;

nuclear movement prior to anaphase and chromosome separation.

Synonyms: bA276H19.3; CDC20A; p55CDC



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Families: Druggable Genome

Protein Pathways: Cell cycle, Oocyte meiosis, Ubiquitin mediated proteolysis

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: SKOV3 and Hela cell lysates Primary antibody: [TA321318] (CDC20 Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 30 seconds




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA321318] (CDC20 Antibody) at dilution 1/200 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA321318] (CDC20 Antibody) at dilution 1/200, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA321318] (CDC20 Antibody) at dilution 1/200 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA321318] (CDC20 Antibody) at dilution 1/200, treated with fusion protein. (Original magnification: ×200)