

# Product datasheet for TA321402S

## P cadherin (CDH3) Rabbit Polyclonal Antibody

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: MCF7, HUVEC, HepG2, 293T, K562 cell lysates IHC: 50-200 Positive control: Human tonsil Predicted cell location: Cell membrane
Reactivity:	Human
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to C terminal 250 amino acids of human cadherin 3, type 1, P- cadherin (placental)
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	91 kDa
Gene Name:	cadherin 3
Database Link:	<u>NP_001784</u> <u>Entrez Gene 1001 Human</u> <u>P22223</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	P cadherin (CDH3) Rabbit Polyclonal Antibody – TA321402S
Background:	This gene is a classical cadherin from the cadherin superfamily. The encoded protein is a calcium-dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a transmembrane region and a highly conserved cytoplasmic tail. This gene is located in a six-cadherin cluster in a region on the long arm of chromosome 16 that is involved in loss of heterozygosity events in breast and prostate cancer. In addition, aberrant expression of this protein is observed in cervical adenocarcinomas. Mutations in this gene have been associated with congential hypotrichosis with juvenile macular dystrophy.
Synonyms:	CDHP; HJMD; PCAD
Protein Families	Druggable Genome, Transmembrane
Protein Pathway	s: Cell adhesion molecules (CAMs)

#### **Product images:**




Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-5: MCF7 HUVEC HepG2 293T K562 cell lysates Primary antibody: [TA321402] (CDH3 Antibody) at dilution 1/400 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA321402] (CDH3 Antibody) at dilution 1/80 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA321402] (CDH3 Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321402] (CDH3 Antibody) at dilution 1/80 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321402] (CDH3 Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US