

Product datasheet for TA321412

DUT Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-100 Positive control: Human gasrtic cancer Predicted cell location: Cytoplasm and Nucleus
Reactivity:	Human, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 132-244 amino acids of Human Deoxyuridine triphosphatase
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	27 kDa
Gene Name:	deoxyuridine triphosphatase
Database Link:	<u>NP_001939</u> <u>Entrez Gene 497778 RatEntrez Gene 1854 Human</u> <u>P33316</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

DUT Rabbit Polyclonal Antibody – TA321412

Background: This gene encodes an essential enzyme of nucleotide metabolism. The encoded protein forms a ubiquitous; homotetrameric enzyme that hydrolyzes dUTP to dUMP and pyrophosphate. This reaction serves two cellular purposes: providing a precursor (dUMP) for the synthesis of thymine nucleotides needed for DNA replication; and limiting intracellular pools of dUTP. Elevated levels of dUTP lead to increased incorporation of uracil into DNA; which induces extensive excision repair mediated by uracil glycosylase. This repair process; resulting in the removal and reincorporation of dUTP; is self-defeating and leads to DNA fragmentation and cell death. Alternative splicing of this gene leads to different isoforms that localize to either the mitochondrion or nucleus. A related pseudogene is located on chromosome 19.


Synonyms:	dUTPase
Protein Families:	Druggable Genome
Protein Pathways:	Metabolic pathways, Pyrimidine metabolism

Product images:



Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA321412 (DUT Antibody) at dilution 1/20 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA321412 (DUT Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA321412 (DUT Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA321412 (DUT Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US