

## **Product datasheet for TA321546S**

## MCP1 (CCL2) Rabbit Polyclonal Antibody

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-50

Positive control: Human breast cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 75-89 amino acids of Human C-C

motif chemokine 2

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** C-C motif chemokine ligand 2

Database Link: NP 002973

Entrez Gene 6347 Human

P13500

**Background:** This gene is one of several cytokine genes clustered on the q-arm of chromosome 17.

Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The protein encoded by this gene is structurally related to the CXC subfamily of cytokines. Members of this subfamily are characterized by two cysteines separated by a single amino acid. This cytokine displays chemotactic activity for monocytes and basophils but not

for neutrophils or eosinophils. It has been implicated in the pathogenesis of diseases

characterized by monocytic infiltrates; like psoriasis; rheumatoid arthritis and atherosclerosis.

It binds to chemokine receptors CCR2 and CCR4.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: GDCF-2; HC11; HSMCR30; MCAF; MCP-1; MCP1; SCYA2; SMC-CF

**Protein Families:** Druggable Genome, Secreted Protein


Protein Pathways: Chemokine signaling pathway, Cytokine-cytokine receptor interaction, NOD-like receptor

signaling pathway

## **Product images:**



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321546] (CCL2 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321546] (CCL2 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)