

Product datasheet for TA321563S

ADAM17 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Jurkat, Raji, Hela, K562, 293T cell lysates

IHC: 50-200

Positive control: Human breast cancer

Predicted cell location: Cytoplasm and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: ADAM metallopeptidase domain 17

Database Link: NP 003174

Entrez Gene 11491 MouseEntrez Gene 57027 RatEntrez Gene 6868 Human

P78536

Background: This gene encodes a member of the ADAM (a disintegrin and metalloprotease domain)

family. Members of this family are membrane-anchored proteins structurally related to snake venom disintegrins, and have been implicated in a variety of biologic processes involving cell-

cell and cell-matrix interactions, including fertilization, muscle development, and

neurogenesis. The protein encoded by this gene functions as a tumor necrosis factor-alpha converting enzyme; binds mitotic arrest deficient 2 protein; and also plays a prominent role

in the activation of the Notch signaling pathway.?



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com





Synonyms: ADAM18; CD156B; CSVP; NISBD; NISBD1; TACE **Protein Families:** Druggable Genome, Protease, Transmembrane

Alzheimer's disease, Epithelial cell signaling in Helicobacter pylori infection, Notch signaling **Protein Pathways:**

pathway

Product images:





Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-5: Jurkat Raji Hela K562 293T cell lysates

Primary antibody: [TA321563] (ADAM17

Antibody) at dilution 1/550


Secondary antibody: Goat anti rabbit IgG at

1/5000 dilution


Exposure time: 90 seconds

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321563] (ADAM17 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA321563] (ADAM17 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321563] (ADAM17 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321563] (ADAM17 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)