

Product datasheet for TA321659

NOTCH4 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 25-50 Positive control: Human esophagus cancer Predicted cell location: Cell membrane
Reactivity:	Human
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from C' 1989-2003 amino acids of Human notch 4
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	notch 4
Database Link:	<u>NP_004548</u> <u>Entrez Gene 4855 Human</u> <u>Q99466</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE NOTCH4 Rabbit Polyclonal Antibody – TA321659

Background: This gene encodes a member of the Notch family. Members of this Type 1 transmembrane protein family share structural characteristics including an extracellular domain consisting of multiple epidermal growth factor-like (EGF) repeats; and an intracellular domain consisting of multiple; different domain types. Notch family members play a role in a variety of developmental processes by controlling cell fate decisions. The Notch signaling network is an evolutionarily conserved intercellular signaling pathway which regulates interactions between physically adjacent cells. In Drosophilia; notch interaction with its cell-bound ligands (delta; serrate) establishes an intercellular signaling pathway that plays a key role in development. Homologues of the notch-ligands have also been identified in human; but precise interactions between these ligands and the human notch homologues remain to be determined. This protein is cleaved in the trans-Golgi network; and presented on the cell surface as a heterodimer. This protein functions as a receptor for membrane bound ligands; and may play a role in vascular; renal and hepatic development. This gene may be associated with susceptibility to schizophrenia in a small portion of cases. An alternative splice variant has been described but its biological nature has not been determined. Synonyms: INT3 **Protein Families: Druggable Genome**

Dorso-ventral axis formation, Notch signaling pathway

Product images:

Protein Pathways:



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321659 (NOTCH4 Antibody) at dilution 1/20. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US