

## **Product datasheet for TA321659S**

## **NOTCH4 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-50

Positive control: Human esophagus cancer Predicted cell location: Cell membrane

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from C' 1989-2003 amino acids of

Human notch 4

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** notch 4

Database Link: NP 004548

Entrez Gene 4855 Human

Q99466



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


This gene encodes a member of the Notch family. Members of this Type 1 transmembrane protein family share structural characteristics including an extracellular domain consisting of multiple epidermal growth factor-like (EGF) repeats; and an intracellular domain consisting of multiple; different domain types. Notch family members play a role in a variety of developmental processes by controlling cell fate decisions. The Notch signaling network is an evolutionarily conserved intercellular signaling pathway which regulates interactions between physically adjacent cells. In Drosophilia; notch interaction with its cell-bound ligands (delta; serrate) establishes an intercellular signaling pathway that plays a key role in development. Homologues of the notch-ligands have also been identified in human; but precise interactions between these ligands and the human notch homologues remain to be determined. This protein is cleaved in the trans-Golgi network; and presented on the cell surface as a heterodimer. This protein functions as a receptor for membrane bound ligands; and may play a role in vascular; renal and hepatic development. This gene may be associated with susceptibility to schizophrenia in a small portion of cases. An alternative splice variant has been described but its biological nature has not been determined.

Synonyms: INT3

**Protein Families:** Druggable Genome

**Protein Pathways:** Dorso-ventral axis formation, Notch signaling pathway

## **Product images:**



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA321659] (NOTCH4 Antibody) at dilution 1/20. (Original magnification: ×200)