

Product datasheet for TA321744S

NDRG1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human lymphoma tissue

IHC: 50-200

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide peptide corresponding to a region derived from 381-394 amino acids of

human N-myc downstream regulated 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 43 kDa

Gene Name: N-myc downstream regulated 1

Database Link: NP 006087

Entrez Gene 17988 MouseEntrez Gene 299923 RatEntrez Gene 10397 Human

Q92597



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein involved in stress responses; hormone responses; cell growth; and differentiation. The encoded protein is necessary for p53-mediated caspase activation and apoptosis. Mutations in this gene are a cause of Charcot-Marie-Tooth disease type 4D; and expression of this gene may be a prognostic indicator for several types of cancer. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.

Synonyms:

CAP43; CMT4D; DRG-1; DRG1; GC4; HMSNL; NDR1; NMSL; PROXY1; RIT42; RTP; TARG1; TDD5

Product images:



Gel: 10%SDS-PAGE Lysate: 40 µg

Lane: Human lymphoma tissue


Primary antibody: [TA321744] (NDRG1 Antibody)

at dilution 1/1000

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 minutes




Immunohistochemistry of paraffin-embedded Human brain tissue using [TA321744] (NDRG1 Antibody) at dilution 1/70 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human brain tissue using [TA321744] (NDRG1 Antibody) at dilution 1/70, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA321744] (NDRG1 Antibody) at dilution 1/70 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA321744] (NDRG1 Antibody) at dilution 1/70, treated with synthetic peptide. (Original magnification: ×200)