

Product datasheet for TA321784S

BTG2 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies		
Applications:	IHC, WB		
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse lung tissue, Jurkat, 293T, K562 cell, Mouse brain tissue, Mouse kidney tissue, 231 cell lysates IHC: 100-300 Positive control: Human cervical cancer Predicted cell location: Cytoplasm		
Reactivity:	Human, Mouse, Rat		
Host:	Rabbit		
lsotype:	IgG		
Clonality:	Polyclonal		
Immunogen:	Full length fusion protein		
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol		
Purification:	Antigen affinity purification		
Conjugation:	Unconjugated		
Storage:	Store at -20°C as received.		
Stability:	Stable for 12 months from date of receipt.		
Predicted Protein Size:	17 kDa		
Gene Name:	BTG family member 2		
Database Link:	<u>NP_006754</u> <u>Entrez Gene 12227 MouseEntrez Gene 29619 RatEntrez Gene 7832 Human</u> <u>P78543</u>		



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


GRIGENE BTG2 Rabbit Polyclonal Antibody – TA321784S

Background:	The protein encoded by this gene is a member of the BTG/Tob family. This family has structurally related proteins that appear to have antiproliferative properties. This encoded protein is involved in the regulation of the G1/S transition of the cell cycle. Protein BTG2 also known as BTG family member 2 or NGF-inducible anti-proliferative protein PC3 or NGF-inducible protein TIS21; is a protein that in humans is encoded by the BTG2 gene (B-cell translocation gene 2) and in other mammals by the homologous Btg2 gene. This protein controls cell cycle progression and proneural genes expression by acting as a transcription coregulator that enhances or inhibits the activity of transcription factors.
Synonyms:	APRO1; PC3; TIS21


Protein	Families	

Transcription Factors

Product images:




Gel: 12%SDS-PAGE Lysate: 40 μg Lane 1-7: Mouse lung tissue Jurkat 293T K562 cell Mouse brain tissue Mouse kidney tissue 231 cell lysates Primary antibody: [TA321784] (BTG2 Antibody) at dilution 1/500 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321784] (BTG2 Antibody) at dilution 1/95 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321784] (BTG2 Antibody) at dilution 1/95, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US