

## **Product datasheet for TA321825**

## **DNMT3L Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 10-50

Positive control: Human thyroid cancer

Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to C terminal 300 amino acids of human DNA (cytosine-5-)-

methyltransferase 3-like

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: DNA (cytosine-5-)-methyltransferase 3-like

Database Link: NP 037501

Entrez Gene 29947 Human

Q9UJW3



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


CpG methylation is an epigenetic modification that is important for embryonic development; imprinting; and X-chromosome inactivation. Studies in mice have demonstrated that DNA methylation is required for mammalian development. This gene encodes a nuclear protein with similarity to DNA methyltransferases; but is not thought to function as a DNA methyltransferase as it does not contain the amino acid residues necessary for methyltransferase activity. However; it does stimulate de novo methylation by DNA cytosine methyltransferase 3 alpha and is thought to be required for the establishment of maternal genomic imprints. This protein also mediates transcriptional repression through interaction with histone deacetylase 1. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Synonyms: MGC1090

**Protein Families:** Druggable Genome, Transcription Factors


**Protein Pathways:** Cysteine and methionine metabolism, Metabolic pathways

## **Product images:**



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA321825 (DNMT3L Antibody) at dilution 1/15 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA321825 (DNMT3L Antibody) at dilution 1/15, treated with fusion protein. (Original magnification: ×200)