

Product datasheet for TA321878S

CHRNA10 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

IHC **Applications:**

Recommended Dilution: IHC: 50-100

> Positive control: Human cervical cancer Predicted cell location: Cell membrane

Reactivity: Human Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 360-373 amino acids of human

cholinergic receptor, nicotinic, alpha 10 (neuronal)

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: cholinergic receptor nicotinic alpha 10 subunit

Database Link: NP 065135

Entrez Gene 57053 Human

Q9GZZ6

Background: Ionotropic receptor with a probable role in the modulation of auditory stimuli. Agonist

> binding may induce an extensive change in conformation that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane. The channel is permeable to a range of divalent cations including calcium; the influx of which may activate a potassium current which hyperpolarizes the cell membrane. In the ear; this may lead to a reduction in basilar membrane motion; altering the activity of auditory nerve fibers and reducing the range of dynamic hearing. This may protect against acoustic trauma.

alpha 10; alpha polypeptide 10; cholinergic receptor; nicotinic; OTTHUMP00000013620 Synonyms:



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Families:

Druggable Genome, Ion Channels: Cys-loop Receptors, Transmembrane

Product images:




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA321878] (CHRNA10 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA321878] (CHRNA10 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA321878] (CHRNA10 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA321878] (CHRNA10 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)