

Product datasheet for TA321982

NAIF1 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: C2C12 cell lysate IHC: 100-200 Positive control: Human esophagus cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Full length fusion protein
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	18 kDa
Gene Name:	nuclear apoptosis inducing factor 1
Database Link:	<u>NP 931045</u> Entrez Gene 71254 MouseEntrez Gene 203245 Human Q69YI7




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

MAIF1 Rabbit Polyclonal Antibody – TA321982


Background: Human NAIF1 is located on chromosome 9q34.11 and encodes 327 amino acids with a homeodomain-like region and two nuclear localization signals at its N-terminal region. NAIF1 is conserved across diverse species; including human; mouse; crab-eating macaque; dog; chicken and frog; and shares no obvious homology to any known genes or proteins. NAIF1 was predominantly localized in the nucleus. Overexpression of NAIF1 inhibited cell growth and induced apoptosis. Furthermore; NAIF1 transfection caused both decreases in mitochondrial membrane potential and caspase-3 activation. In summary; NAIF1 is a nuclear protein that induces apoptosis when overexpressed.

Synonyms: bA379C10.2; C9orf90

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: C2C12 cell lysate Primary antibody: TA321982 (NAIF1 Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit lgG at 1/5000 dilution Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321982 (NAIF1 Antibody) at dilution 1/100 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA321982 (NAIF1 Antibody) at dilution 1/100, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US