

## **Product datasheet for TA321990**

## APAF1 Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela, A549 and HUVEC cells

IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 11-25 amino acids of Human

Apoptotic protease-activating factor 1

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 38 kDa

**Gene Name:** apoptotic peptidase activating factor 1

Database Link: NP 863659

Entrez Gene 11783 MouseEntrez Gene 78963 RatEntrez Gene 317 Human

<u>014727</u>



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Background:** This gene encodes a cytoplasmic protein that initiates apoptosis. This protein contains

several copies of the WD-40 domain; a caspase recruitment domain (CARD); and an ATPase domain (NB-ARC). Upon binding cytochrome c and dATP; this protein forms an oligomeric apoptosome. The apoptosome binds and cleaves caspase 9 preproprotein; releasing its mature; activated form. Activated caspase 9 stimulates the subsequent caspase cascade that commits the cell to apoptosis. Alternative splicing results in several transcript variants encoding different isoforms.


Synonyms: APAF-1; CED4

**Protein Families:** Druggable Genome

Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Huntington's disease, p53

signaling pathway, Parkinson's disease, Small cell lung cancer

## **Product images:**



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-3: Hela cells A549 cells HUVEC cells


Primary antibody: TA321990 (APAF1 Antibody) at

dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA321990 (APAF1 Antibody) at dilution 1/40 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA321990 (APAF1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)