

Product datasheet for TA321991S

APAF1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela and A549 cells

IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 11-25 amino acids of Human

Apoptotic protease-activating factor 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 38 kDa

Gene Name: apoptotic peptidase activating factor 1

Database Link: NP 863659

Entrez Gene 11783 MouseEntrez Gene 78963 RatEntrez Gene 317 Human

<u>014727</u>



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: This gene encodes a cytoplasmic protein that initiates apoptosis. This protein contains

several copies of the WD-40 domain; a caspase recruitment domain (CARD); and an ATPase domain (NB-ARC). Upon binding cytochrome c and dATP; this protein forms an oligomeric apoptosome. The apoptosome binds and cleaves caspase 9 preproprotein; releasing its mature; activated form. Activated caspase 9 stimulates the subsequent caspase cascade that commits the cell to apoptosis. Alternative splicing results in several transcript variants encoding different isoforms.


Synonyms: APAF-1; CED4

Protein Families: Druggable Genome

Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Huntington's disease, p53

signaling pathway, Parkinson's disease, Small cell lung cancer

Product images:



Gel: 6%SDS-PAGE Lysate: 40 μg Lane 1-2: Hela cells

A549 cells


Primary antibody: [TA321991] (APAF1 Antibody)

at dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 minutes




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA321991] (APAF1 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA321991] (APAF1 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321991] (APAF1 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA321991] (APAF1 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)