

## **Product datasheet for TA321998S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ancient ubiquitous protein 1 (AUP1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela and 293T cells, mouse liver tissue and NIH/3T3 cells

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein corresponding to C terminal 250 amino acids of human ancient ubiquitous

protein 1

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 53 kDa

**Gene Name:** ancient ubiquitous protein 1

Database Link: NP 853553

Entrez Gene 11993 MouseEntrez Gene 680423 RatEntrez Gene 550 Human

Q9Y679






**Background:** This gene encodes a protein that contains a domain with homology to the ancient conserved

region of the archain 1 gene and a domain that may be involved in binding ubiquitin-conjugating enzymes. The protein encoded by this gene has been shown to bind to the conserved membrane-proximal sequence of the cytoplasmic tail of integrin alpha(IIb) subunits. These subunits play a crucial role in the integrin alpha(IIb)beta(3) inside-out signalling in platelets and megakaryocytes that leads to platelet aggregation and thrombus formation. This gene overlaps the gene for mitochondrial serine protease 25.

**Synonyms:** ancient ubiquitous protein 1

**Protein Families:** Druggable Genome, Transmembrane

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-4: Hela cells 293T cells mouse liver tissue NIH/3T3 cells


Primary antibody: [TA321998] (AUP1 Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 30 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA321998] (AUP1 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA321998] (AUP1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA321998] (AUP1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA321998] (AUP1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)