

## **Product datasheet for TA322002S**

## **ENPP7 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human prostate cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 290-305 amino acids of Human

ectonucleotide pyrophosphatase/phosphodiesterase 7

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 52 kDa

**Gene Name:** ectonucleotide pyrophosphatase/phosphodiesterase 7

Database Link: NP 848638

Entrez Gene 303729 RatEntrez Gene 339221 Human

Q6UWV6



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Ectonucleotide pyrophosphatase/phosphodiesterase family member 7?(E-NPP 7) also known as?alkaline sphingomyelin phosphodiesterase?(Alk-SMase) or?intestinal alkaline sphingomyelinase?is an?enzyme?that in humans is encoded by the?ENPP7?gene. Converts sphingomyelin to ceramide. Also has phospholipase C activity toward palmitoyl lysophosphocholine. Does not appear to have nucleotide pyrophosphatase activity. Inhibited in a dose dependent manner by ATP; imidazole; orthovanadate and zinc ion. Not inhibited by ADP; AMP and EDTA. Detected in the colon (at protein level). Expressed in the duodenum; jejunum and liver and at low levels in the ileum. Expression was very low in the esophagus; stomach and colon.


Synonyms: 339221; ALK-SMase; E-NPP 7; NPP-7; NPP7

**Protein Pathways:** Metabolic pathways, Sphingolipid metabolism

## **Product images:**




Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA322002] (ENPP7 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA322002] (ENPP7 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322002] (ENPP7 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322002] (ENPP7 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)