

Product datasheet for TA322029

CLDN19 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Hepg2 and 293T cell

IHC: 10-50

Positive control: Human liver cancer Predicted cell location: Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 186-200 amino acids of Human

Claudin 19

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 23 kDa

Gene Name: claudin 19

Database Link: NP 683763

Entrez Gene 242653 MouseEntrez Gene 298487 RatEntrez Gene 149461 Human

Q8N6F1



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


The product of this gene belongs to the claudin family. It plays a major role in tight junction-specific obliteration of the intercellular space; through calcium-independent cell-adhesion activity. Defects in this gene are the cause of hypomagnesemia renal with ocular involvement (HOMGO). HOMGO is a progressive renal disease characterized by primary renal magnesium wasting with hypomagnesemia; hypercalciuria and nephrocalcinosis associated with severe ocular abnormalities such as bilateral chorioretinal scars; macular colobomata; significant myopia and nystagmus. Alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene.

Synonyms: HOMG5

Protein Families: Transmembrane

Protein Pathways: Cell adhesion molecules (CAMs), Leukocyte transendothelial migration, Tight junction

Product images:



Gel: 12%SDS-PAGE Lysate: 40 μg

Lane 1-2: Hepg2 and 293T cell


Primary antibody: TA322029 (CLDN19 Antibody)

at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322029 (CLDN19 Antibody) at dilution 1/30 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322029 (CLDN19 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)