

Product datasheet for TA322064

Product datasneet for TA322004

JNK2 (MAPK9) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Raw264.7 cells, Mouse brain and heart tissue

IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 373-386 amino acids of Human

mitogen-activated protein kinase 9

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 48 kDa

Gene Name: mitogen-activated protein kinase 9

Database Link: NP 620707

Entrez Gene 26420 MouseEntrez Gene 50658 RatEntrez Gene 5601 Human

P45984



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals; and are involved in a wide variety of cellular processes such as proliferation; differentiation; transcription regulation and development. This kinase targets specific transcription factors; and thus mediates immediate-early gene expression in response to various cell stimuli. It is most closely related to MAPK8; both of which are involved in UV radiation induced apoptosis; thought to be related to the cytochrome c-mediated cell death pathway. This gene and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiquitination of tumor suppressor p53; and thus it increases the stability of p53 in nonstressed cells. Studies of this gene's mouse counterpart suggest a key role in T-cell differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported.

Synonyms:

JNK-55; JNK2; JNK2A; JNK2ALPHA; JNK2B; JNK2BETA; p54a; p54aSAPK; PRKM9; SAPK; SAPK1a


Protein Families:

Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase

Protein Pathways:

Adipocytokine signaling pathway, Colorectal cancer, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, GnRH signaling pathway, Insulin signaling pathway, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, T cell receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, Wnt signaling pathway

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg


Lane 1-3: Raw264.7 cells Mouse brain tissue Mouse heart tissue

Primary antibody: TA322064 (MAPK9 Antibody) at dilution 1/200


Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 5 seconds






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322064 (MAPK9 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322064 (MAPK9 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA322064 (MAPK9 Antibody) at dilution 1/30 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA322064 (MAPK9 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)