

Product datasheet for **TA322170S**

TRAF3IP3 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: 231 and Hela cell, Rat liver tissue lysates IHC: 25-100 Positive control: Human tonsil Predicted cell location: Cytoplasm and Cell membrane
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to a region derived from 240-436 amino acids of human TRAF3 interacting protein 3
Formulation:	PBS pH7.3, 0.05% NaN ₃ , 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	64 kDa
Gene Name:	TRAF3 interacting protein 3
Database Link:	NP_079504 Entrez Gene 215243 MouseEntrez Gene 360900 RatEntrez Gene 80342 Human Q9Y228
Background:	TRAF3-interacting JNK-activating modulator is a protein that in humans is encoded by the TRAF3IP3 gene. The gene encodes a protein that mediates cell growth by modulating the c-Jun N-terminal kinase signal transduction pathway. The encoded protein may also interact with a large multiprotein assembly containing the phosphatase 2A catalytic subunit. RAF3IP3 has been shown to interact with STRN; MOBKL3; STK24 and FAM40A.




[View online »](#)


Synonyms: T3JAM

Protein Families: Druggable Genome, Transmembrane


Product images:




Gel: 8%SDS-PAGE
Lysate: 40 μ g
Lane 1-3: 231 and HeLa cell
Rat liver tissue lysates
Primary antibody: [TA322170] (TRAF3IP3
Antibody) at dilution 1/300
Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution
Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded
Human tonsil tissue using [TA322170] (TRAF3IP3
Antibody) at dilution 1/30 (Original magnification:
 \times 200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA322170] (TRAF3IP3 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA322170] (TRAF3IP3 Antibody) at dilution 1/30 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA322170] (TRAF3IP3 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: $\times 200$)