

# Product datasheet for TA322198S

## **MMP25 Rabbit Polyclonal Antibody**

## **Product data:**

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 50-200 Positive control: Human brain Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 126-139 amino acids of human matrix metallopeptidase 25
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	matrix metallopeptidase 25
Database Link:	<u>NP_071913</u> <u>Entrez Gene 64386 Human</u> <u>Q9NPA2</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **GRIGENE** MMP25 Rabbit Polyclonal Antibody – TA322198S


**Background:** Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes; such as embryonic development; reproduction; and tissue remodeling; as well as in disease processes; such as arthritis and metastasis. Most MMPs are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. However; the protein encoded by this gene is a member of the membrane-type MMP (MT-MMP) subfamily; attached to the plasma membrane via a glycosylphosphatidyl inositol anchor. In response to bacterial infection or inflammation; the encoded protein is thought to inactivate alpha-1 proteinase inhibitor; a major tissue protectant against proteolytic enzymes released by activated neutrophils; facilitating the transendothelial migration of neutrophils to inflammatory sites. The encoded protein may also play a role in tumor invasion and metastasis through activation of MMP2. The gene has previously been referred to as MMP20 but has been renamed MMP25.

Synonyms:MMP-25; MMP20; MMP20A; MMPL1; MT-MMP 6; MT-MMP6; MT6-MMP; MT6MMP; MTMMP6Protein Families:Druggable Genome

### **Product images:**



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322198] (MMP25 Antibody) at dilution 1/80 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322198] (MMP25 Antibody) at dilution 1/80, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US