

Product datasheet for TA322347

HDAC7 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Primary Antibodies |
|-------------------------|--|
| Applications: | IHC |
| Recommended Dilution: | IHC: 50-200 Positive control: Human ovarian cancer Predicted cell location: Cytoplasm or Nucleus |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| lsotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Synthetic peptide corresponding to a region derived from 938-951 amino acids of Human histone deacetylase 7 |
| Formulation: | PBS pH7.3, 0.05% NaN3, 50% glycerol |
| Concentration: | lot specific |
| Purification: | Antigen affinity purification |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C as received. |
| Stability: | Stable for 12 months from date of receipt. |
| Predicted Protein Size: | 66 kDa |
| Gene Name: | histone deacetylase 7 |
| Database Link: | <u>NP_056216</u> <u>Entrez Gene 56233 MouseEntrez Gene 51564 Human</u> <u>Q8WUI4</u> |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

DRIGENE HDAC7 Rabbit Polyclonal Antibody – TA322347

Background: Histones play a critical role in transcriptional regulation; cell cycle progression; and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene has sequence homology to members of the histone deacetylase family. This gene is orthologous to mouse HDAC7 gene whose protein promotes repression mediated via the transcriptional corepressor SMRT. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Synonyms:HD7A; HDAC7AProtein Families:Druggable Genome, Transcription Factors


Product images:



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA322347 (HDAC7 Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA322347 (HDAC7 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA322347 (HDAC7 Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA322347 (HDAC7 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US