

Product datasheet for TA322405S

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

14 3 3 gamma (YWHAG) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: Hela, 293T and Jurkat cells

IHC: 50-200

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 141-154 amino acids of Human

tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, gamma

polypeptide

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 28 kDa

Gene Name: tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein gamma

Database Link: NP 036611

Entrez Gene 22628 MouseEntrez Gene 56010 RatEntrez Gene 7532 Human

P61981





Background:


This gene product belongs to the 14-3-3 family of proteins which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals; and this protein is 100% identical to the rat ortholog. It is induced by growth factors in human vascular smooth muscle cells; and is also highly expressed in skeletal and heart muscles; suggesting an important role for this protein in muscle tissue. It has been shown to interact with RAF1 and protein kinase C; proteins involved in various signal transduction pathways.

Synonyms: 14-3-3GAMMA; PPP1R170

Protein Families: Druggable Genome

Protein Pathways: Cell cycle, Neurotrophin signaling pathway, Oocyte meiosis

Product images:



Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-3: Hela cells 293T cells Jurkat cells


Primary antibody: [TA322405] (YWHAG Antibody)

at dilution 1/1800

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322405] (YWHAG Antibody) at dilution 1/100 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322405] (YWHAG Antibody) at dilution 1/100, treated with synthetic peptide. (Original magnification: ×200)