

## **Product datasheet for TA322423S**

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

## Aguaporin 0 (MIP) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 20-100

Positive control: Human colorectal cancer Predicted cell location: Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide corresponding to a region derived from 250-263 amino acids of Human

Aquaporin-0

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 28 kDa

**Gene Name:** major intrinsic protein of lens fiber

Database Link: NP 036196

Entrez Gene 17339 MouseEntrez Gene 25480 RatEntrez Gene 4284 Human

P30301

**Background:** Major intrinsic protein is a member of the water-transporting aquaporins as well as the

original member of the MIP family of channel proteins. The function of the fiber cell

membrane protein encoded by this gene is undetermined; yet this protein is speculated to play a role in intracellular communication. The MIP protein is expressed in the ocular lens and is required for correct lens function. This gene has been mapped among aquaporins

AQP2; AQP5; and AQP6; in a potential gene cluster at 12q13.


Synonyms: AQP0; CTRCT15; LIM1; MIP26; MP26






**Protein Families:** Druggable Genome, Transmembrane

## **Product images:**




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA322423] (MIP Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA322423] (MIP Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA322423] (MIP Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA322423] (MIP Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)