

Product datasheet for TA322452S

Sumo 2 (SUMO2) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse kidney tissue lysate IHC: 50-200 Positive control: Human thyroid cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 71-85 amino acids of human SMT3 suppressor of mif two 3 homolog 2 (S. cerevisiae)
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	12 kDa
Gene Name:	small ubiquitin-like modifier 2
Database Link:	<u>NP_008868</u> <u>Entrez Gene 170930 MouseEntrez Gene 690244 RatEntrez Gene 6613 Human</u> <u>P61956</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Sumo 2 (SUMO2) Rabbit Polyclonal Antibody - TA322452SBackground:This gene encodes a protein that is a member of the SUMO (small ubiquitin-like modifier)
protein family. It functions in a manner similar to ubiquitin in that it is bound to target
proteins as part of a post-translational modification system. However, unlike ubiquitin which
targets proteins for degradation, this protein is involved in a variety of cellular processes,
such as nuclear transport, transcriptional regulation, apoptosis, and protein stability. It is not
active until the last two amino acids of the carboxy-terminus have been cleaved off.
Numerous pseudogenes have been reported for this gene. Alternate transcriptional splice
variants, encoding different isoforms, have been characterized.Synonyms:HSMT3; Smt3A; SMT3B; SMT3H2; SUMO3Protein Families:Druggable Genome

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Mouse kidney tissue lysate Primary antibody: [TA322452] (SUMO2/SUMO3/SUMO4 Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA322452] (SUMO2/SUMO3/SUMO4 Antibody) at dilution 1/50 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA322452] (SUMO2/SUMO3/SUMO4 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US