

# **Product datasheet for TA322519S**

## **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## AMPK alpha 2 (PRKAA2) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein corresponding to a region derived from 16-268 amino acids of human protein

kinase, AMP-activated, alpha 2 catalytic subunit

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Gene Name:** protein kinase AMP-activated catalytic subunit alpha 2

Database Link: NP 006243

Entrez Gene 78975 RatEntrez Gene 108079 MouseEntrez Gene 5563 Human

P54646

**Background:** The protein encoded by this gene is a catalytic subunit of the AMP-activated protein kinase

(AMPK). AMPK is a heterotrimer consisting of an alpha catalytic subunit, and non-catalytic beta and gamma subunits. AMPK is an important energy-sensing enzyme that monitors cellular energy status. In response to cellular metabolic stresses, AMPK is activated, and thus phosphorylates and inactivates acetyl-CoA carboxylase (ACC) and beta-hydroxy beta-

methylglutaryl-CoA reductase (HMGCR), key enzymes involved in regulating de novo

biosynthesis of fatty acid and cholesterol. Studies of the mouse counterpart suggest that this catalytic subunit may control whole-body insulin sensitivity and is necessary for maintaining

myocardial energy homeostasis during ischemia.





### AMPK alpha 2 (PRKAA2) Rabbit Polyclonal Antibody - TA322519S


Synonyms: AMPK; AMPK2; AMPKa2; PRKAA

**Protein Families:** Druggable Genome, Protein Kinase


Protein Pathways: Adipocytokine signaling pathway, Hypertrophic cardiomyopathy (HCM), Insulin signaling

pathway, mTOR signaling pathway, Regulation of autophagy

# **Product images:**




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA322519] (PRKAA2 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA322519] (PRKAA2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA322519] (PRKAA2 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA322519] (PRKAA2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)