

Product datasheet for TA322527S

Neurotrophin 4 (NTF4) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 231 cells

IHC: 10-50

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 25-210 amino acids of human

neurotrophin 4

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 22 kDa

Gene Name: neurotrophin 4

Database Link: NP 006170

Entrez Gene 25730 RatEntrez Gene 4909 Human

P34130



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Neurotrophin 4 (NTF4) Rabbit Polyclonal Antibody - TA322527S

Background: This gene is a member of a family of neurotrophic factors; neurotrophins; that control

survival and differentiation of mammalian neurons. The expression of this gene is ubiquitous and less influenced by environmental signals. While knock-outs of other neurotrophins including nerve growth factor; brain-derived neurotrophic factor; and neurotrophin 3 prove lethal during early postnatal development; NTF5-deficient mice only show minor cellular


deficits and develop normally to adulthood.

Synonyms: 5; GLC10; GLC10; NT-4; NT-5; NT4; NT5; NTF5

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: MAPK signaling pathway, Neurotrophin signaling pathway

Product images:



Gel: 12%SDS-PAGE Lysate: 40 µg Lane: 231 cells


Primary antibody: [TA322527] (NTF4 Antibody) at

dilution 1/300

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322527] (NTF4 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322527] (NTF4 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA322527] (NTF4 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA322527] (NTF4 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)