

Product datasheet for TA322532

MYL9 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: Jurkat and 231 cells IHC: 50-200 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 2-14 amino acids of Human myosin, light chain 9, regulatory
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	14 kDa
Gene Name:	myosin light chain 9
Database Link:	<u>NP_006088</u> Entrez Gene 98932 MouseEntrez Gene 296313 RatEntrez Gene 10398 Human P24844




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	MYL9 Rabbit Polyclonal Antibody – TA322532
Background:	Myosin; a structural component of muscle; consists of two heavy chains and four light chains. The protein encoded by this gene is a myosin light chain that may regulate muscle contraction by modulating the ATPase activity of myosin heads. The encoded protein binds calcium and is activated by myosin light chain kinase. Two transcript variants encoding different isoforms have been found for this gene.
Synonyms:	LC20; MLC-2C; MLC2; MRLC1; MYRL2
Protein Pathway	s: Focal adhesion, Leukocyte transendothelial migration, Regulation of actin cytoskeleton, Tight junction, Vascular smooth muscle contraction

Product images:




Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-2: Jurkat cells 231 cells Primary antibody: TA322532 (MYL9 Antibody) at dilution 1/1500 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 40 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322532 (MYL9 Antibody) at dilution 1/80 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322532 (MYL9 Antibody) at dilution 1/80, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322532 (MYL9 Antibody) at dilution 1/80 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322532 (MYL9 Antibody) at dilution 1/80, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US