

## **Product datasheet for TA322551S**

## **AKAP8 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela and 293T cells

IHC: 25-100

Positive control: Human colon cancer Predicted cell location: cytoplasm, Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide peptide corresponding to a region derived from 679-691 amino acids of

human A kinase (PRKA) anchor protein 8

**Formulation:** PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 76 kDa

**Gene Name:** A-kinase anchoring protein 8

Database Link: NP 005849

Entrez Gene 10270 Human

<u>043823</u>



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a member of the A-kinase anchor protein family. A-kinase anchor proteins are scaffold proteins that contain a binding domain for the RI/RII subunit of protein kinase A (PKA) and recruit PKA and other signaling molecules to specific subcellular locations. This gene encodes a nuclear A-kinase anchor protein that binds to the RII alpha subunit of PKA and may play a role in chromosome condensation during mitosis by targeting PKA and the condensin complex to chromatin. A pseudogene of this gene is located on the short arm of chromosome 9.

Synonyms: AKAP-8; AKAP-95; AKAP 95; AKAP95

**Protein Families:** Druggable Genome

## **Product images:**



Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-2: Hela cells 293T cells


Primary antibody: [TA322551] (AKAP8 Antibody)

at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322551] (AKAP8 Antibody) at dilution 1/15 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322551] (AKAP8 Antibody) at dilution 1/15, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA322551] (AKAP8 Antibody) at dilution 1/15 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA322551] (AKAP8 Antibody) at dilution 1/15, treated with synthetic peptide. (Original magnification: ×200)