

Product datasheet for TA322565

ABCB6 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500–2000 WB positive control: Hela cell lysate IHC: 50–200 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein corresponding to a region derived from 590–824 amino acids of human ATP-binding cassette, sub-family B (MDR/TAP), member 6
Formulation:	PBS pH7.3, 0.05% NaN ₃ , 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at –20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	94 kDa
Gene Name:	ATP binding cassette subfamily B member 6 (Langereis blood group)
Database Link:	NP_005680 Entrez Gene 74104 Mouse Entrez Gene 140669 Rat Entrez Gene 10058 Human Q9NP58



Background:

The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This half-transporter likely plays a role in mitochondrial function. Localized to 2q26, this gene is considered a candidate gene for lethal neonatal metabolic syndrome, a disorder of mitochondrial function.

Synonyms:


ABC; ABC14; DUH3; LAN; MCOPCB7; MTABC3; PRP; umat

Protein Families:

Druggable Genome, Transmembrane

Protein Pathways:

ABC transporters

Product images:

Gel: 6%SDS-PAGE


Lysate: 40 µg

Lane: HeLa cell lysate


Primary antibody: TA322565 (ABCB6 Antibody)
at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at
1/5000 dilution


Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322565 (ABCB6 Antibody) at dilution 1/55 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322565 (ABCB6 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322565 (ABCB6 Antibody) at dilution 1/55 (Original magnification: $\times 200$)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322565 (ABCB6 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: $\times 200$)