

Product datasheet for TA322566

ABCB6 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela cell lysate

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 590-824 amino acids of human ATP-

binding cassette, sub-family B (MDR/TAP), member 6

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 94 kDa

Gene Name: ATP binding cassette subfamily B member 6 (Langereis blood group)

Database Link: NP 005680

Entrez Gene 74104 MouseEntrez Gene 140669 RatEntrez Gene 10058 Human

Q9NP58



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1; MDR/TAP; MRP; ALD; OABP; GCN20; White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This half-transporter likely plays a role in mitochondrial function. Localized to 2q26; this gene is considered a candidate gene for lethal neonatal metabolic syndrome; a disorder of mitochondrial function.


Synonyms: ABC; ABC14; DUH3; LAN; MCOPCB7; MTABC3; PRP; umat

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: ABC transporters

Product images:






Primary antibody: TA322566 (ABCB6 Antibody) at

dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 90 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322566 (ABCB6 Antibody) at dilution 1/60 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA322566 (ABCB6 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322566 (ABCB6 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322566 (ABCB6 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)