

Product datasheet for TA322578S

Cytokeratin 16 (KRT16) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela cells

IHC: 50-200

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 195-212 amino acids of Human

Keratin, type I cytoskeletal 16

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: keratin 16

Database Link: NP 005548

Entrez Gene 16666 MouseEntrez Gene 303530 RatEntrez Gene 3868 Human

P08779



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

The protein encoded by this gene is a member of the keratin gene family. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. Most of the type I cytokeratins consist of acidic proteins which are arranged in pairs of heterotypic keratin chains and are clustered in a region of chromosome 17q12-q21. This keratin has been coexpressed with keratin 14 in a number of epithelial tissues; including esophagus; tongue; and hair follicles. Mutations in this gene are associated with type 1 pachyonychia congenita; non-epidermolytic palmoplantar keratoderma and unilateral palmoplantar verrucous nevus.

Synonyms:

CK16; FNEPPK; K1CP; K16; KRT16A; NEPPK; PC1

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg Lane: Hela cells


Primary antibody: [TA322578] (KRT16 Antibody)

at dilution 1/450

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322578] (KRT16 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA322578] (KRT16 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA322578] (KRT16 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA322578] (KRT16 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)