

Product datasheet for TA322638S

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GDNF Receptor alpha 1 (GFRA1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Rat brain tissue lysate

IHC: 50-200

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 370-384 amino acids of Human

GDNF family receptor alpha 1

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 51 kDa

Gene Name: GDNF family receptor alpha 1

Database Link: NP 005255

Entrez Gene 14585 MouseEntrez Gene 25454 RatEntrez Gene 2674 Human

P56159






Background:

Glial cell line-derived neurotrophic factor (GDNF) and neurturin (NTN) are two structurally related; potent neurotrophic factors that play key roles in the control of neuron survival and differentiation. The protein encoded by this gene is a member of the GDNF receptor family. It is a glycosylphosphatidylinositol(GPI)-linked cell surface receptor for both GDNF and NTN; and mediates activation of the RET tyrosine kinase receptor. This gene is a candidate gene for Hirschsprung disease. Multiple alternatively spliced transcript variants have been described for this gene.

Synonyms: GDNFR; GDNFRA; GFR-ALPHA-1; RETL1; TRNR1

Protein Families: Druggable Genome

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Rat brain tissue lysate


Primary antibody: [TA322638] (GFRA1 Antibody)

at dilution 1/800

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 90 seconds




Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322638] (GFRA1 Antibody) at dilution 1/65 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322638] (GFRA1 Antibody) at dilution 1/65, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA322638] (GFRA1 Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA322638] (GFRA1 Antibody) at dilution 1/65, treated with synthetic peptide. (Original magnification: ×200)