

Product datasheet for TA322644S

FGF3 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Rat liver tissue lysate

IHC: 25-100

Positive control: Human brain

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Rat

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 226-239 amino acids of Human

fibroblast growth factor 3

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: fibroblast growth factor 3

Database Link: NP 005238

Entrez Gene 170633 RatEntrez Gene 2248 Human

P11487



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities and are involved in a variety of biological processes including embryonic development; cell growth; morphogenesis; tissue repair; tumor growth and invasion. This gene was identified by its similarity with mouse fgf3/int-2; a proto-oncogene activated in virally induced mammary tumors in the mouse. Frequent amplification of this gene has been found in human tumors; which may be important for neoplastic transformation and tumor progression. Studies of the similar genes in mouse and chicken suggested the role in inner ear formation.

Synonyms: HBGF-3; INT2

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton

Product images:



Gel: 12%SDS-PAGE Lysate: 40 μg

Lane: Rat liver tissue lysate


Primary antibody: [TA322644] (FGF3 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322644] (FGF3 Antibody) at dilution 1/25 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human brain tissue using [TA322644] (FGF3 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA322644] (FGF3 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA322644] (FGF3 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)