

# Product datasheet for TA322677S

# **PRCP Rabbit Polyclonal Antibody**

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies	
Applications:	IHC, WB	
Recommended Dilution:	WB: 200-1000 WB positive control: Jurkat cells and human fetal liver tissue IHC: 25-100 Positive control: Human tonsil Predicted cell location: Cytoplasm	
Reactivity:	Human, Mouse	
Host:	Rabbit	
lsotype:	IgG	
Clonality:	Polyclonal	
Immunogen:	Fusion protein corresponding to a region derived from 46-317 amino acids of human prolylcarboxypeptidase (angiotensinase C)	
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol	
Purification:	Antigen affinity purification	
Conjugation:	Unconjugated	
Storage:	Store at -20°C as received.	
Stability:	Stable for 12 months from date of receipt.	
Predicted Protein Size:	56 kDa	
Gene Name:	prolylcarboxypeptidase	
Database Link:	<u>NP_005031</u> <u>Entrez Gene 72461 MouseEntrez Gene 5547 Human</u> <u>P42785</u>	



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **PRCP** Rabbit Polyclonal Antibody – TA322677S

Background:	The protein encoded by this gene is a lysosomal prolylcarboxypeptidase; which cleaves C- terminal amino acids linked to proline in peptides such as angiotension II; III and des-Arg9- bradykinin. The cleavage occurs at acidic pH; but the enzyme activity is retained with some substrates at neutral pH. This enzyme has been shown to be an activator of the cell matrix- associated prekallikrein. The importance of angiotension II; one of the substrates of this enzyme; in regulating blood pressure and electrolyte balance suggests that this gene may be related to essential hypertension. Alternatively spliced transcript variants encoding distinct isoforms have been observed.
Synonyms.	

Synonyms:	HUMPCP; PCP


**Protein Families:** 

Druggable Genome, Protease, Transmembrane

# **Product images:**




Gel: 10%SDS-PAGE Lysate: 50 µg Lane 1-2: Jurkat cells human fetal liver tissue Primary antibody: [TA322677] (PRCP Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 5 minutes



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA322677] (PRCP Antibody) at dilution 1/20 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA322677] (PRCP Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA322677] (PRCP Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA322677] (PRCP Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US