

Product datasheet for TA322757

KAT3A / CBP (CREBBP) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 5-20 Positive control: Human cervical cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 160-176 amino acids of Human
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	CREB binding protein
Database Link:	<u>NP_004371</u> <u>Entrez Gene 12914 MouseEntrez Gene 54244 RatEntrez Gene 1387 Human</u> <u>Q92793</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	KAT3A / CBP (CREBBP) Rabbit Polyclonal Antibody – TA322757
Background:	This gene is ubiquitously expressed and is involved in the transcriptional coactivation of many different transcription factors. First isolated as a nuclear protein that binds to cAMP-response element binding protein (CREB); this gene is now known to play critical roles in embryonic development; growth control; and homeostasis by coupling chromatin remodeling to transcription factor recognition. The protein encoded by this gene has intrinsic histone acetyltransferase activity and also acts as a scaffold to stabilize additional protein interactions with the transcription complex. This protein acetylates both histone and non-histone proteins. This protein shares regions of very high sequence similarity with protein p300 in its bromodomain; cysteine-histidine-rich regions; and histone acetyltransferase domain. Mutations in this gene have been associated with acute myeloid leukemia. Alternative splicing results in multiple transcript variants encoding different isoforms.
Synonyms:	CBP; KAT3A; RSTS
Protein Families:	Druggable Genome
Protein Pathways	:: Adherens junction, Cell cycle, Huntington's disease, Jak-STAT signaling pathway, Long-term potentiation, Melanogenesis, Notch signaling pathway, Pathways in cancer, Prostate cancer, Renal cell carcinoma, TGF-beta signaling pathway, Wnt signaling pathway

Product images:



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322757 (CREBBP Antibody) at dilution 1/5 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322757 (CREBBP Antibody) at dilution 1/5, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322757 (CREBBP Antibody) at dilution 1/5 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA322757 (CREBBP Antibody) at dilution 1/5, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US