

## Product datasheet for **TA322910S**

### **BRG1 (SMARCA4) Rabbit Polyclonal Antibody**

#### **Product data:**

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB: 500-2000 WB positive control: Hela and Jurkat cells
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 1460-1474 amino acids of human SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member?
Formulation:	PBS pH7.3, 0.05% NaN <sub>3</sub> , 50% glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	185 kDa
Gene Name:	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 4
Database Link:	<a href="#">NP_003063</a> <a href="#">Entrez Gene 20586 MouseEntrez Gene 171379 RatEntrez Gene 6597 Human P51532</a>



[View online »](#)

**Background:**


The protein encoded by this gene is a member of the SWI/SNF family of proteins and is similar to the brahma protein of *Drosophila*. Members of this family have helicase and ATPase activities and are thought to regulate transcription of certain genes by altering the chromatin structure around those genes. The encoded protein is part of the large ATP-dependent chromatin remodeling complex SNF/SWI; which is required for transcriptional activation of genes normally repressed by chromatin. In addition; this protein can bind BRCA1; as well as regulate the expression of the tumorigenic protein CD44. Mutations in this gene cause rhabdoid tumor predisposition syndrome type 2. Multiple transcript variants encoding different isoforms have been found for this gene.

**Synonyms:**

BAF190; BAF190A; BRG1; CSS4; hSNF2b; MRD16; RTPS2; SNF2; SNF2L4; SNF2LB; SWI2

**Protein Families:**

Druggable Genome, Transcription Factors

**Product images:**

Gel: 8%SDS-PAGE

Lysate: 50 µg

Lane 1-2: HeLa cells

Jurkat cells

Primary antibody: [TA322910] (SMARCA4 Antibody) at dilution 1/700

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 30 seconds