

Product datasheet for TA322979

PKM2 (PKM) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela cells

IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 11-221 amino acids of Human

Pyruvate kinase isozymes M1/M2

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 58 kDa

Gene Name: pyruvate kinase, muscle

Database Link: NP 002645

Entrez Gene 18746 MouseEntrez Gene 25630 RatEntrez Gene 5315 Human

P14618



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

This gene encodes a protein involved in glycolysis. The encoded protein is a pyruvate kinase that catalyzes the transfer of a phosphoryl group from phosphoenolpyruvate to ADP; generating ATP and Stimulates POU5F1-mediated transcriptional activation. Plays a general role in caspase independent cell death of tumor cells. This protein has been shown to interact with thyroid hormone and may mediate cellular metabolic effects induced by thyroid hormones. This protein has been found to bind Opa protein; a bacterial outer membrane protein involved in gonococcal adherence to and invasion of human cells; suggesting a role of this protein in bacterial pathogenesis.

Synonyms: CTHBP; HEL-S-30; OIP3; PK3; PKM2; TCB; THBP1

Protein Families: Druggable Genome

Protein Pathways: Glycolysis / Gluconeogenesis, Metabolic pathways, Purine metabolism, Pyruvate metabolism,

Type II diabetes mellitus

Product images:



Gel: 8%SDS-PAGE Lysate: 30 μg Lane: Hela cells

Primary antibody: TA322979 (PKM Antibody) at


dilution 1/450

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 seconds





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322979 (PKM Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA322979 (PKM Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)