

Product datasheet for TA323094S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

CKII alpha (CSNK2A1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse brain tissue, Hela and Jurkat cells

IHC: 25-100

Positive control: Human brain

Predicted cell location: Cytoplasm, Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 39-324 amino acids of human casein

kinase 2, alpha 1 polypeptide

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 45 kDa

Gene Name: casein kinase 2 alpha 1

Database Link: NP 001886

Entrez Gene 12995 MouseEntrez Gene 116549 RatEntrez Gene 1457 Human

P68400





Background:


Casein kinase II is a serine/threonine protein kinase that phosphorylates acidic proteins such as casein. The kinase exists as a tetramer and is composed of an alpha; an alpha-prime; and two beta subunits. The alpha subunits contain the catalytic activity while the beta subunits undergo autophosphorylation. The protein encoded by this gene represents the alpha subunit. While this gene is found on chromosome 20; a related transcribed pseudogene is found on chromosome 11. Three transcript variants encoding two different proteins have been found for this gene.

Synonyms: CK2A1; CKII; CSNK2A3

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase

Protein Pathways: Adherens junction, Tight junction, Wnt signaling pathway

Product images:




Gel: 10%SDS-PAGE
Lysate: 40 µg
Lane 1-3: Mouse brain tissue
Hela cells
Jurkat cells
Primary antibody: [TA323094] (CSNK2A1
Antibody) at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human brain tissue using [TA323094] (CSNK2A1 Antibody) at dilution 1/13 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human brain tissue using [TA323094] (CSNK2A1 Antibody) at dilution 1/13, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA323094] (CSNK2A1 Antibody) at dilution 1/13 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA323094] (CSNK2A1 Antibody) at dilution 1/13, treated with fusion protein. (Original magnification: ×200)