

Product datasheet for TA323104S

COX7B Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 293T cells

IHC: 50-200

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Rat

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from 1-79 amino acids of human

cytochrome c oxidase subunit VIIb

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 9 kDa

Gene Name: cytochrome c oxidase subunit 7B

Database Link: NP 001857

Entrez Gene 303393 RatEntrez Gene 1349 Human

P24311



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


Cytochrome c oxidase (COX); the terminal component of the mitochondrial respiratory chain; catalyzes the electron transfer from reduced cytochrome c to oxygen. This component is a heteromeric complex consisting of 3 catalytic subunits encoded by mitochondrial genes and multiple structural subunits encoded by nuclear genes. The mitochondrially-encoded subunits function in electron transfer; and the nuclear-encoded subunits may function in the regulation and assembly of the complex. This nuclear gene encodes subunit VIIb; which is highly similar to bovine COX VIIb protein and is found in all tissues. This gene may have several pseudogenes on chromosomes 1; 2; 20 and 22.

Synonyms: APLCC; LSDMCA2

Protein Pathways: Alzheimer's disease, Cardiac muscle contraction, Huntington's disease, Metabolic pathways,

Oxidative phosphorylation, Parkinson's disease

Product images:



Gel: 10+15%SDS-PAGE Lysate: 50 µg Lane: 293T cells


Primary antibody: [TA323104] (COX7B Antibody)

at dilution 1/700

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323104] (COX7B Antibody) at dilution 1/60 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323104] (COX7B Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)