

## **Product datasheet for TA323139**

## **AKR1B1 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: A549 cell lysate

IHC: 50-200

Positive control: Human colorectal cancer Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 36 kDa

**Gene Name:** aldo-keto reductase family 1, member B1 (aldose reductase)

Database Link: NP 001619

Entrez Gene 24192 RatEntrez Gene 231 Human

P15121



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


This gene encodes a member of the aldo/keto reductase superfamily; which consists of more than 40 known enzymes and proteins. This member catalyzes the reduction of a number of aldehydes; including the aldehyde form of glucose; and is thereby implicated in the development of diabetic complications by catalyzing the reduction of glucose to sorbitol. Multiple pseudogenes have been identified for this gene. The nomenclature system used by the HUGO Gene Nomenclature Committee to define human aldo-keto reductase family members is known to differ from that used by the Mouse Genome Informatics database.


Synonyms: ADR; ALDR1; ALR2; AR **Protein Families:** Druggable Genome

**Protein Pathways:** Fructose and mannose metabolism, Galactose metabolism, Glycerolipid metabolism,

Metabolic pathways, Pentose and glucuronate interconversions, Pyruvate metabolism

## **Product images:**






Primary antibody: TA323139 (AKR1B1 Antibody)

at dilution 1/700

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 7 seconds



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA323139 (AKR1B1 Antibody) at dilution 1/95 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA323139 (AKR1B1 Antibody) at dilution 1/95, treated with fusion protein. (Original magnification: ×200)