

Product datasheet for TA323141S

AKR1B1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela cells

IHC: 50-200

Positive control: Human ovarian cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 304-316 amino acids of human

aldo-keto reductase family 1, member B1 (aldose reductase)

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 36 kDa

Gene Name: aldo-keto reductase family 1, member B1 (aldose reductase)

Database Link: NP 001619

Entrez Gene 231 Human

P15121



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: This gene encodes a member of the aldo/keto reductase superfamily; which consists of more

than 40 known enzymes and proteins. This member catalyzes the reduction of a number of aldehydes; including the aldehyde form of glucose; and is thereby implicated in the development of diabetic complications by catalyzing the reduction of glucose to sorbitol.

Multiple pseudogenes have been identified for this gene. The nomenclature system used by

the HUGO Gene Nomenclature Committee to define human aldo-keto reductase family members is known to differ from that used by the Mouse Genome Informatics database.?


Synonyms: ADR; ALDR1; ALR2; AR

Protein Families: Druggable Genome

Protein Pathways: Fructose and mannose metabolism, Galactose metabolism, Glycerolipid metabolism,

Metabolic pathways, Pentose and glucuronate interconversions, Pyruvate metabolism

Product images:



Gel: 10%SDS-PAGE Lysate: 27 µg Lane: Hela cells


Primary antibody: [TA323141] (AKR1B1 Antibody)

at dilution 1/700

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 4 seconds




Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA323141] (AKR1B1 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA323141] (AKR1B1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA323141] (AKR1B1 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA323141] (AKR1B1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)