

Product datasheet for TA323154

ID4 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	IHC: 20-100 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a region derived from 19-38 amino acids of Human inhibitor of DNA binding 4, dominant negative helix-loop-helix protein
Formulation:	PBS pH7.3, 0.05% NaN3, 50% glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	inhibitor of DNA binding 4, HLH protein
Database Link:	<u>NP_001537</u> <u>Entrez Gene 15904 MouseEntrez Gene 3400 Human</u> <u>P47928</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

DRIGENE ID4 Rabbit Polyclonal Antibody – TA323154

Background:	DNA-binding protein inhibitor ID-4?is a?protein?that in humans is encoded by the?ID4?gene. Transcription factors containing a basic helix-loop-helix (bHLH) motif regulate expression of tissue-specific genes in a number of mammalian and insect systems. DNA-binding activity of the bHLH proteins is dependent on formation of homo- and/or heterodimers. Dominant- negative (antimorph) HLH proteins encoded by Id-related genes; such as ID4; also contain the HLH-dimerization domain but lack the DNA-binding basic domain. Consequently; Id proteins inhibit binding to DNA and transcriptional transactivation by heterodimerization with bHLH proteins .
Synonyms:	bHLHb27; IDB4
Protein Families:	ES Cell Differentiation/IPS, Transcription Factors
Protein Pathways:	TGF-beta signaling pathway


Product images:



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA323154 (ID4 Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA323154 (ID4 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323154 (ID4 Antibody) at dilution 1/20 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323154 (ID4 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US