

## **Product datasheet for TA323168S**

## **BLBP (FABP7) Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human fetal brain tissue

IHC: 50-150

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 15 kDa

**Gene Name:** fatty acid binding protein 7

Database Link: NP 001437

Entrez Gene 12140 MouseEntrez Gene 80841 RatEntrez Gene 2173 Human

O15540



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Background:** The protein encoded by this gene is a brain fatty acid binding protein. Fatty acid binding

proteins (FABPs) are a family of small; highly conserved; cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. FABPs are thought to play roles in fatty acid uptake; transport; and metabolism.?B-FABP could be involved in the transport of a so far unknown hydrophobic ligand with potential morphogenic activity during CNS development. It is required for the establishment of the radial glial fiber system in developing brain; a system that is necessary for the migration of immature neurons to establish cortical layers.

Synonyms: B-FABP; BLBP; FABPB; LTR2-FABP7; MRG

**Protein Pathways:** PPAR signaling pathway

## **Product images:**

250 — 130 — 95 — 72 — 55 — 36 — 28 —

Gel: 8+12%SDS-PAGE Lysate: 30 µg

Lane: Human fetal brain tissue


Primary antibody: [TA323168] (FABP7 Antibody)

at dilution 1/450

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA323168] (FABP7 Antibody) at dilution 1/22 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA323168] (FABP7 Antibody) at dilution 1/22, treated with fusion protein. (Original magnification: ×200)