

Product datasheet for TA323185S

CRMP2 (DPYSL2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: NIH/3T3 cells

IHC: 25-100

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide corresponding to a region derived from 476-493 amino acids of Human

Collapsin response mediator protein 2

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 62 kDa

Gene Name: dihydropyrimidinase like 2

Database Link: NP 001377

Entrez Gene 12934 MouseEntrez Gene 25416 RatEntrez Gene 1808 Human

Q16555



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

This gene encodes a member of the collapsin response mediator protein family. Collapsin response mediator proteins form homo- and hetero-tetramers and facilitate neuron guidance; growth and polarity. The encoded protein promotes microtubule assembly and is required for Sema3A-mediated growth cone collapse; and also plays a role in synaptic signaling through interactions with calcium channels. This gene has been implicated in multiple neurological disorders; and hyperphosphorylation of the encoded protein may play a key role in the development of Alzheimer's disease. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.

Synonyms: CRMP-2; CRMP2; DHPRP2; DRP-2; DRP2; N2A3; ULIP-2; ULIP2

Protein Families: Druggable Genome

Protein Pathways: Axon guidance

Product images:



Gel: 8%SDS-PAGE Lysate: 30 µg Lane: NIH/3T3 cells


Primary antibody: [TA323185] (DPYSL2 Antibody)

at dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 15 seconds



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323185] (DPYSL2 Antibody) at dilution 1/45 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA323185] (DPYSL2 Antibody) at dilution 1/45, treated with synthetic peptide. (Original magnification: ×200)