

Product datasheet for TA323211

BMPR2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human brain

Predicted cell location: Cytoplasm, Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein corresponding to a region derived from C terminal 250 amino acids of human

bone morphogenetic protein receptor, type II (serine/threonine kinase)

Formulation: PBS pH7.3, 0.05% NaN3, 50% glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: bone morphogenetic protein receptor type 2

Database Link: NP 001195

Entrez Gene 12168 MouseEntrez Gene 659 Human

Q13873



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a member of the bone morphogenetic protein (BMP) receptor family of transmembrane serine/threonine kinases. The ligands of this receptor are BMPs; which are members of the TGF-beta superfamily. BMPs are involved in endochondral bone formation and embryogenesis. These proteins transduce their signals through the formation of heteromeric complexes of two different types of serine (threonine) kinase receptors: type I receptors of about 50-55 kD and type II receptors of about 70-80 kD. Type II receptors bind ligands in the absence of type I receptors; but they require their respective type I receptors for signaling; whereas type I receptors require their respective type II receptors for ligand binding. Mutations in this gene have been associated with primary pulmonary hypertension; both familial and fenfluramine-associated; and with pulmonary venoocclusive disease.

Synonyms: BMPR-II; BMPR3; BMR2; BRK-3; POVD1; PPH1; T-ALK Protein Families: Druggable Genome, Protein Kinase, Transmembrane


Protein Pathways: Cytokine-cytokine receptor interaction, TGF-beta signaling pathway

Product images:




Immunohistochemistry of paraffin-embedded Human brain tissue using TA323211 (BMPR2 Antibody) at dilution 1/35 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human brain tissue using TA323211 (BMPR2 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323211 (BMPR2 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA323211 (BMPR2 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)